

## 2015 FLESH ANGUS BULLS SUPPLEMENT DATA

Tattoo	RUMP FAT	RUMP Ratio	ADJ RIB Fat	RIB FAT Ratio	ADJ Ribeye	RIBEYE Ratio	ADJ % IMF	Scan Wt	Scrotal	Sale Weight
<b>B1</b> <i>DDF</i>	0.29	88	0.22	88	12.9	104	4.07	1250	39	1435
<b>B4</b> <i>DDC</i>	0.38	115	0.27	108	11.3	91	4.35	1255	35.5	1380
<b>B6</b> <i>DDC</i>	0.22	68	0.23	105	12	101	2.55	1300	39	1430
<b>B7</b> <i>DDF</i>	0.2	61	0.2	80	15.5	125	2.6	1400	40	1480
<b>B9</b>	0.28	85	0.22	88	12.2	98	3.02	1220	37	1320
<b>B11</b> <i>DDC</i>	0.37	119	0.29	132	14.1	118	4.14	1410	39	1510
<b>B15</b> <i>DDF</i>	0.35	113	0.21	95	11.6	97	3.9	1270	40	1400
<b>B19</b> <i>DDF</i>	0.34	106	0.32	128	10.9	88	4.19	1100	35	1240
<b>B20</b> <i>DDC</i>	0.27	85	0.26	104	13.7	110	4.43	1310	34.5	1425
<b>B22</b> <i>DDF</i>	0.3	97	0.19	86	10.8	91	3.72	1290	36	1420
<b>B24</b>	0.29	91	0.23	92	14.7	119	4.29	1265	39.5	1385
<b>B26</b>	0.28	88	0.26	104	13.2	106	3.11	1225	41	1310
<b>B28</b>	0.35	109	0.28	112	14.6	118	3.7	1250	40	1340
<b>B29</b> <i>DDC</i>	0.27	85	0.26	104	12	97	2.94	1200	37.5	1325
<b>B31</b> <i>DDC</i>	0.38	100	0.27	100	13.3	100	3.12	1425	39.5	1510
<b>B33</b>	0.39	121	0.23	92	12.4	100	3.32	1030	36	1200
<b>B37</b> <i>DDC</i>	0.36	112	0.27	108	12.4	100	3.73	1225	37	1350
<b>B39</b>	0.39	118	0.27	108	12.9	104	2.97	1200	33.5	1285
<b>B47</b>	0.21	67	0.19	76	11.6	94	3.11	1110	36.5	1260
<b>B49</b> <i>DDF</i>	0.22	71	0.2	91	11.4	96	2.7	1290	41	1350
<b>B53</b>	0.35	106	0.25	100	11.7	94	4.02	1170	36.5	1280
<b>B54</b>	0.36	112	0.26	104	11.8	95	3.48	1185	42	1350
<b>B56</b> <i>DDC</i>	0.28	85	0.21	84	12.8	103	3.54	1220	40	1275
<b>B57</b>	0.24	76	0.24	96	11.7	94	3.35	1085	37	1240
<b>B58</b>	0.35	109	0.24	96	12.7	102	4.06	1270	36	1420
<b>B59</b> <i>DDF</i>	0.38	123	0.23	105	10.3	87	4.32	1255	40.5	1410
<b>B60</b>	0.23	74	0.15	68	12.7	107	3.37	1200	40	1305
<b>B61</b> <i>MIC</i>	0.26	79	0.19	76	13.8	111	2.75	1265	39	1385
<b>B64</b> <b>OUT</b>	0.47	100	0.49	100	15.3	100	6.03	1325	39	<b>OUT</b>
<b>B67</b>	0.37	112	0.22	88	10.5	85	3.5	1130	37	1275
<b>B71</b> <b>OUT</b>	0.27	87	0.22	100	13.2	111	3.51	1200	38.5	<b>OUT</b>
<b>B72</b>	0.28	94	0.28	127	14	118	4.13	1350	38	1455
<b>B73</b>	0.33	110	0.24	109	12.3	103	2.59	1270	36	1355
<b>B74</b>	0.59	182	0.5	200	13.7	110	3.64	1345	39.5	1450
<b>B75</b> <i>DDF</i>	0.28	94	0.19	86	11.3	95	4.74	1345	38	1300
<b>B78</b>	0.47	145	0.36	144	12.5	101	4.55	1250	40.5	1350
<b>B81</b>	0.4	132	0.32	145	11	92	4.3	1165	39.5	1305
<b>B85</b>	0.35	116	0.19	86	11.8	99	4.73	1200	35	1325
<b>B86</b>	0.31	103	0.24	109	11.6	97	4.81	1235	39	1400
<b>B87</b> <b>OUT</b>	0.35	109	0.32	128	12.4	100	5.73	1290	34.5	<b>OUT</b>
<b>B88</b>	0.35	109	0.25	100	12.3	99	2.82	1250	38.5	1410
<b>B94</b>	0.23	73	0.16	64	13.5	109	3.76	1270	39	1380
<b>B97</b> <i>DDF</i>	0.34	106	0.2	80	12.4	100	4.86	1210	38	1340
<b>B104</b>	0.29	94	0.19	76	13.9	112	3.91	1125	38.5	1275

Tattoo	RUMP FAT	RUMP Ratio	ADJ RIB Fat	RIB FAT Ratio	ADJ Ribeye	RIBEYE Ratio	ADJ % IMF	Scan Wt	Scrotal	Sale Weight
<b>B105</b>	0.32	103	0.3	120	13.7	110	4.86	1250	41	1355
<b>B107</b> <i>DDC</i>	0.28	91	0.23	92	13.1	106	5.06	1240	37	1325
<b>B108</b>	0.3	97	0.26	104	11.6	94	3.4	1190	36.5	1360
<b>B112</b>	0.38	121	0.24	96	12.3	99	3.19	1185	39	1330
<b>B115</b>	0.3	97	0.22	88	11.3	91	3.81	1230	38	1330
<b>B116</b>	na	na	na	na	na	na	na	na	35	1285
<b>B121</b>	0.34	112	0.26	104	11.3	91	3.04	1185	37	1310
<b>B122</b> <i>DDC</i>	0.32	103	0.26	104	11	89	3.26	1080	39	1275
<b>B123 OUT</b>	0.4	98	0.51	124	12.5	91	3.58	1270	40	<b>OUT</b>
<b>B124</b>	0.33	106	0.26	104	11.7	94	3.53	1150	37.5	1240
<b>B129</b>	0.2	70	0.17	68	13	105	3.54	1120	35.5	1200
<b>B131</b>	0.22	76	0.24	96	11.1	90	4.23	1030	40	1135
<b>B132</b>	0.19	64	0.18	72	12.6	102	3.67	1165	36	1260
<b>B134 OUT</b>	0.36	115	0.32	128	11.6	94	3.84	1020	38	<b>OUT</b>
<b>B136</b>	0.35	112	0.2	80	11.5	93	3.54	1050	39.5	1170
<b>B140</b>	0.37	126	0.19	86	11.5	97	3.7	1160	34.5	1280
<b>B141</b>	0.4	100	0.31	76	15.1	109	3.98	1305	38	1465
<b>B151</b>	0.32	103	0.27	108	12.5	101	4.03	1250	39.5	1415
<b>B153</b>	0.28	94	0.27	108	13.1	106	3.22	1300	39.5	1395
<b>B154</b>	na	na	na	na	na	na	na	na	38	1270
<b>B156</b>	0.35	112	0.27	108	11.5	93	3.06	1210	38	1375
<b>B161</b>	0.34	112	0.35	140	11.9	96	3.09	1290	40	1405
<b>B164</b>	0.34	115	0.32	128	11.7	94	4.12	1110	36	1170
<b>B167</b>	0.32	106	0.27	108	11.7	94	3.74	1205	40	1320
<b>B168</b>	0.45	100	0.38	100	14.3	100	4.82	1255	34.5	1330
<b>B170</b>	na	na	na	na	na	nsa	na	na	37	1185
<b>B171</b>	0.39	124	0.29	116	13.5	109	7.46	1170	38	1350
<b>B172</b>	0.29	103	0.27	123	11.4	96	4.53	1080	36.5	1220
<b>B178</b>	0.21	73	0.28	112	14.1	114	4.39	1210	37	1345
<b>B182</b>	0.3	106	0.24	109	12.5	105	5.09	1190	38.5	1325
<b>B184 OUT</b>	0.13	48	0.15	68	11.5	97	2.98	1040	34.5	<b>OUT</b>
<b>B191</b>	0.22	76	0.25	100	11.5	93	4.7	1090	38	1220
<b>B196</b>	0.14	55	0.2	80	13.3	107	3.27	1120	37.5	1275
<b>B199</b>	0.34	115	0.24	96	11.1	90	2.84	1140	36.5	1200
<b>B201</b>	0.34	112	0.28	112	11.9	96	2.89	1225	35	1310
<b>B213</b>	0.38	127	0.22	88	12.2	98	3.13	1175	36	1295
<b>B221 OUT</b>	0.31	106	0.28	112	12.7	102	5.77	1180	32.5	<b>OUT</b>
<b>B227</b>	0.41	142	0.27	108	11.9	96	3.85	1160	37	1240
<b>B230</b>	na	na	na	na	na	na	na	na	37	1310
<b>B233</b>	na	na	na	na	na	na	na	na	40	1330
<b>B237</b>	na	na	na	na	na	na	na	na	38	1255
<b>903 OUT</b>	na	na	na	na	14.42	112	2.82	1170	34	<b>OUT</b>
<b>910</b>	na	na	na	na	13.49	105	2.54	1040	36.5	1235
<b>912</b>	na	na	na	na	12.38	96	1.88	1150	34	1310
<b>917</b>	na	na	na	na	12.98	101	2.58	1130	37.5	1265